TILER®

CATALOG

SINCE 1996

V 3.0



| MAKE TILING EASY |

TILER®

CONTENTS

1 ABOUT TILER

2 TILE CUTTING MACHINE

Manual tile cutters - - - - - 11

3 LARGE FORMAT SLAB SYSTEM

Cutters for large format slab - - - - - 31

Workbench for large format slab - - - - - 33

Handling system for large format slab - - - - - 38

Trolley for large format slab - - - - - 35

4 FLOOR CUTTING MACHINE

Floor cutting machine - - - - - 46

5 TILE CARRYING & LAYING TOOLS

Tile vibration machine - - - - - 49

Vacuum suction cup - - - - - 53

Aluminum suction cup - - - - - 55

6 LASER LEVEL

Laser level - - - - - 57

7 TILE LEVELING TOOLS

Tile spacers - - - - - 59

Tile leveling system - - - - - 61

8 GROUTING & CLEANING TOOLS

Grouting tools - - - - - 66

Cleaning tools - - - - - 69

9 OTHER TILING TOOLS

Other tiling tools - - - - - 72

Accessories - - - - - 76

ABOUT TILER

1

First Tile Cutter
Exported to Poland

Became **Global Sales Leader**
in Tile Cutting Machines


Dedicated to Recruit
TILER Distributors Worldwide



HangZhou John Hardware
Tools Co., LTD. **Established**

Interviewed by
National China Central Television
(CCTV)

A Top-Level Tile Cutting Machine
Was Designed in Collaboration with
German Experts



Company Profile

30+ years
Industry Experience

130+
Countries

40,000+ m²
Workshop

30 days
Delivery Time

For Every 5 Tile Cutting Machines Sold Globally
1 was Produced by TILER


Patent

71
Core technology invention patents

8
Granted invention patents

38
Utility model patents

25
Design patents



ORIGINAL MANUFACTURER

Certificate


FSC · GS · BSCI Business Social Compliance Initiative · ISO 9001:2015 · ISO 14001:2015 · ISO 45001:2018



PRODUCT CONCEPT

Precise: TILER's commitment to precision ensures that you achieve flawless results with every performance. We understand the importance of accuracy in your work, so TILER products are meticulously designed and crafted to deliver consistent and precise outcomes. Whether you're a professional in a specialized field or an enthusiast pursuing your passion, TILER products will empower you to achieve the highest level of precision in your endeavors.

Innovative: Stay ahead and upgrade your work with innovative technology.TILER continuously push the boundaries of innovation to bring you cutting-edge tools that enhance your capabilities and unleash your creativity. TILER's commitment to innovation drives us to explore new possibilities, develop groundbreaking solutions, and integrate the latest advancements into TILER products. Embrace the power of innovation and unlock a world of endless possibilities in your work.



Professional: With a proud legacy spanning over 30 years, TILER has carved a niche for itself as a hallmark of excellence in the tool manufacturing industry. Our dedication to professionalism is evident in every facet of our operation, from the meticulous selection of superior materials to our stringent quality control measures. This unwavering commitment ensures that every TILER tool embodies the epitome of craftsmanship and resilience. Furthermore, our devotion to professionalism permeates our customer service ethos, promising you a smooth and supportive experience throughout your journey with us. Place your trust in the expertise and experience that have made us the go-to choice for countless professionals seeking to elevate their work to new heights of excellence.

Efficient: Time is a valuable resource, and we value your productivity. TILER's products are engineered to help you complete projects quickly and easily. With intelligent design features and intuitive functionality, TILER eliminates unnecessary complexities and streamline your workflow. From project planning to execution, TILER efficient tools are your reliable companions, enabling you to accomplish tasks with optimal efficiency and effectiveness.

ABOUT TILER

"TILER" is a high-end brand dedicated to manufacturing tile cutting and installation tools. As an independent brand created by Hangzhou John Hardware Tools Co., Ltd., its parent company, TILER has been committed to providing global users with high-quality and high-efficiency tiling tools. Since the development of the first tile cutting machine, the company has continuously innovated, accumulated experience, and consistently strived to deliver professional tile cutting and installation tools.

With 30 years of innovative research and development technology and efficient production capabilities, TILER has become a leader in the global tiling tools industry. Our manual tile cutters have maintained a leading global sales position for more than a decade, serving customers in over 140 countries.

TILER is renowned for its craftsmanship spirit. Constantly Pursuing excellence in quality at its core. The brand is dedicated to manufacturing each product with efficiency, precision, professionalism, innovation, and safety as its guiding principles. Through advanced design, high-quality products, and customized services, TILER provides every user with an enjoyable tile installation experience. Whether you are a professional or a DIY installer, you can find satisfactory solutions in the products and services offered by TILER.

MISSION

We are committed to providing installers with high-quality and high-efficiency tools for cutting and laying tiles, while creating a "resource-saving and environmentally friendly" living environment for humanity.

VISION

To become a respected global century-old enterprise in the tiling tools industry.



TILE CUTTING MACHINE

TILER Tile Cutters are available in various models to cater to different needs. They feature steel materials as well as aluminum alloy materials, and come with both single-rail sliding system and double-rail sliding system. We offer machines suitable for standard tile sizes such as 24 inches and 32 inches, as well as machines designed for large-sized tiles like 72 inches or even up to 144 inches. We have options suitable for DIY installers as well as machines specifically designed for professional installers.

TILER not only provides tile cutters but also offers comprehensive technical support and after-sales service. We are committed to establishing long-term partnerships with our customers, working together to drive the development of the tile industry and providing high-quality cutting solutions to users.





SPEEDY ROCKET TILE CUTTER

8102G-3Y





Patented

Life Warranty

MODEL	SIZE			
8102G-3Y-1050	42"	1050mm	740mm	18mm
8102G-3Y-1300	52"	1300mm	920mm	18mm
8102G-3Y-1550	62"	1550mm	1095mm	18mm
⌀				
ø22*ø6*6mm	1PC/CTN	27KG	136*35.5*28.5CM	
ø22*ø6*6mm	1PC/CTN	32KG	161*35.5*28.5CM	
ø22*ø6*6mm	1PC/CTN	35.5KG	186*35.5*28.5CM	



Robust wide base, guide, and breaking system.



Extended labor-saving handle.



Spring pads with shock absorber for better tile breaking.



80cm aluminum adjustable gauge for fast and accurate measurement.



Heavy-duty extension feet with spring pads for supporting large size tile.

1050-1550 mm

CUTTING ANGLE 0-60°

18 mm (max)

1200 KG

22x6x6 mm YG-6X

Ti COATED

PREM. RAPTOR TILE CUTTER

8102G-T3





Patented

Life Warranty

MODEL	SIZE			
8102G-T3-1200	48"	1200mm	850mm	16mm
8102G-T3-1600	64"	1600mm	1130mm	16mm
8102G-T3-1800	72"	1800mm	1270mm	16mm
⌀				
ø22*ø6*6mm	1PC/CTN	18KG	153*17.5*26CM	
ø22*ø6*6mm	1PC/CTN	28KG	193*17.5*26CM	
ø22*ø6*6mm	1PC/CTN	30KG	213*17.5*26CM	



Patented lockable breaker for visible cutting performance.



Aluminum gauge, beautiful and precise.



Equipped with infrared laser for more precise cutting.



Extended labor-saving handle, ergonomic and heavy-duty construction.



Fully enclosed and self-adjusting sliding system.

1200-1800 mm

CUTTING ANGLE 45°/90°

16 mm (max)

1200 KG

22x6x6 mm YG-6X

Ti COATED

LASER

RAPTOR TILE CUTTER

8102G-2GH



Patented

Life Warranty

MODEL	SIZE			
8102G-2GH-800	32"	800mm	565mm	16mm
8102G-2GH-1000	40"	1000mm	705mm	16mm
8102G-2GH-1200	48"	1200mm	850mm	16mm
⌀				
ø22*ø6*6mm	1PC/CTN	12.5KG	113*17.5*26CM	
ø22*ø6*6mm	1PC/CTN	15KG	133*17.5*26CM	
ø22*ø6*6mm	1PC/CTN	18KG	155*17.5*26CM	



Fully enclosed slider, dust-free and no adjustment needed.



TILER premium cutting wheel, long-lasting life.



Patented lockable breaker for visible cutting performance.



Hidden extension feet for large tiles and easy carrying.



Equipped with infrared laser for more precise cutting.

800-1200 mm

CUTTING ANGLE 45°/90°

16 mm (max)

1000 KG

22x6x6 mm YG-6X

Ti COATED

LASER



LINEAR PRO TILE CUTTER

8102X-01





- Linear guide rail ensures smooth, straight cuts without deviation.
- High-strength aluminum base is lightweight and corrosion-proof for tough job sites.
- Ergonomic, self-resetting handle – automatically returns after each cut for faster continuous work.
- I-shaped support frame is removable and foldable, adapting to various tile sizes while also enabling precise positioning and batch repeat cutting.
- Equipped with pull handle and wheels for effortless site-to-site transport.

MODEL	SIZE			
8102X-01	48"	1200mm	850mm	18mm
⌀				
Ø22*Ø6*6mm	/	/	/	

ONE-HANDED USE | 45° CUTS | MAGNETIC FOOT | REPETITIVE CUTS | 22x6x6 mm YG-6X | Ti COATED | Al

EXTEND MAX PRO TILE CUTTER

8100T-DJ





- 30mm dual-rail with upgraded bearing sliding system delivers stable, precise, smooth cuts.
- High-strength aluminum base is lightweight and corrosion-proof for tough job sites.
- 80cm aluminum large square enables accurate measurement.
- Ergonomic handle provides comfortable grip for fatigue-free extended use.
- I-shaped support frame is removable and foldable, adapting to various tile sizes while also enabling precise positioning and batch repeat cutting.
- Easy-to-replace cutting pen with magnetic breaking bar simplifies maintenance and improves visibility.

MODEL	SIZE			
8100T-DJ-600	24"	600mm	425mm	18mm
8100T-DJ-800	32"	800mm	565mm	18mm
8100T-DJ-900	36"	900mm	635mm	18mm
8100T-DJ-1000	40"	1000mm	705mm	18mm
8100T-DJ-1200	48"	1200mm	850mm	18mm
⌀				
Ø22*Ø5*6mm	2PCS/CTN	26KG	95*20*26CM	
Ø22*Ø5*6mm	2PCS/CTN	28KG	115*50*24CM	
Ø22*Ø5*6mm	1PC/CTN	18.5KG	123*24.5*21.5CM	
Ø22*Ø5*6mm	1PC/CTN	19KG	133*24.5*21.5CM	
Ø22*Ø5*6mm	1PC/CTN	20KG	153*24.5*21.5CM	

ONE-HANDED USE | 45° CUTS | MAGNETIC FOOT | REPETITIVE CUTS | 22x5x6 mm YG-6X | Al

EXTEND MAX TILE CUTTER

8100T-3A-DJ





- 30mm dual-rail with bearing sliding system delivers stable, precise, smooth cuts.
- High-strength aluminum base is lightweight and corrosion-proof for tough job sites.
- 80cm aluminum large square enables accurate measurement.
- Ergonomic handle provides comfortable grip for fatigue-free extended use.
- I-shaped support frame is removable and foldable, adapting to various tile sizes while also enabling precise positioning and batch repeat cutting.
- Easy-to-replace cutting pen with magnetic breaking bar simplifies maintenance and improves visibility.

MODEL	SIZE			
8100T-3A-DJ-600	24"	600mm	425mm	18mm
8100T-3A-DJ-800	32"	800mm	565mm	18mm
8100T-3A-DJ-900	36"	900mm	635mm	18mm
8100T-3A-DJ-1000	40"	1000mm	705mm	18mm
8100T-3A-DJ-1200	48"	1200mm	850mm	18mm

Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/

Patented

Life Warranty

ONE-HANDED USE | 45° CUTS | MAGNETIC FOOT | REPETITIVE CUTS

22x5x6 mm YG-6X | Al

EXTEND MAX TILE CUTTER

8106T-3A-DJ





- 30mm dual-rail with bearing sliding system delivers stable, precise, smooth cuts.
- High-strength aluminum base is lightweight and corrosion-proof for tough job sites.
- Ergonomic handle provides comfortable grip for fatigue-free extended use.
- 80cm aluminum large square enables accurate measurement.
- I-shaped support frame is removable and foldable, adapting to various tile sizes while also enabling precise positioning and batch repeat cutting.
- Bearing cutting wheel glides smoothly for clean scoring lines on hard porcelain and ceramic tiles.

MODEL	SIZE			
8106T-3A-DJ-600	24"	600mm	425mm	18mm
8106T-3A-DJ-800	32"	800mm	565mm	18mm
8106T-3A-DJ-900	36"	900mm	635mm	18mm
8106T-3A-DJ-1000	40"	1000mm	705mm	18mm
8106T-3A-DJ-1200	48"	1200mm	850mm	18mm

Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/

Patented

Life Warranty

ONE-HANDED USE | 45° CUTS | MAGNETIC FOOT | REPETITIVE CUTS

22x6x6 mm YG-6X | Ti COATED | Al

STEEL MAX TILE CUTTER

8100T-3S-DJ



- 30mm dual-rail with bearing sliding system delivers stable, precise, smooth cuts.
- High-strength iron base provides rugged stability and resists deformation under load.
- Ergonomic handle provides comfortable grip for fatigue-free extended use.
- 80cm aluminum large square enables accurate measurement.
- Dual adjustable support bar on both sides flexibly adapt to various tile sizes.
- Easy-to-replace cutting pen with magnetic breaking bar simplifies maintenance and improves visibility.

MODEL	SIZE			
8100T-3S-DJ-600	24"	600mm	425mm	18mm
8100T-3S-DJ-800	32"	800mm	565mm	18mm
8100T-3S-DJ-900	36"	900mm	635mm	18mm
8100T-3S-DJ-1000	40"	1000mm	705mm	18mm
8100T-3S-DJ-1200	48"	1200mm	850mm	18mm

Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/
Ø22*Ø5*6mm	/	/	/

Patented

Life Warranty

ONE-HANDED USE | 45° CUTS | MAGNETIC FOOT | REPETITIVE CUTS

22x5x6 mm YG-6X | ST

STEEL MAX TILE CUTTER

8106T-2S





- 20mm chrome-plated guide rails with bearing sliding system deliver ultra-smooth scoring and precise cuts.
- High-strength iron base provides rugged stability and resists deformation under heavy loads.
- Ergonomic handle provides comfortable grip for fatigue-free extended use.
- Dual adjustable support bar on both sides flexibly adapt to various tile sizes.
- Magnetic breaking bar ensures clean snap-off every time with minimal effort.
- Easy-to-replace bearing wheel cutter simplifies maintenance and extends tool life.

MODEL	SIZE			
8106T-2S-600	24"	600mm	425mm	18mm
8106T-2S-800	32"	800mm	565mm	18mm
8106T-2S-900	36"	900mm	635mm	18mm
8106T-2S-1000	40"	1000mm	705mm	18mm
8106T-2S-1200	48"	1200mm	850mm	18mm

Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/
Ø22*Ø6*6mm	/	/	/

Patented

Life Warranty

ONE-HANDED USE | 45° CUTS | MAGNETIC FOOT | REPETITIVE CUTS

22x6x6 mm YG-6X | Ti COATED | ST

LIGHTNING TILE CUTTER

8102G-2A-DJ



- Handle with soft grip for better ergonomics and comfort.
- Aluminum base for robustness,light and easy to transport.
- Comes with extra aluminum extension feet for large tiles.
- Reinforced guide,greater bending resistance and increased precision.
- 80cm aluminum adjustable gauge for fast and accurate measurement.
- Guide system highly resistant to impacts resulting in longer product life.
- Patented lockable breaker with plastic protector,ensuring better visibility of scoring and cutting zone.

MODEL	SIZE			
8102G-2A-DJ-900	36"	900mm	635mm	16mm
8102G-2A-DJ-1200	48"	1200mm	850mm	16mm
8102G-2A-DJ-1650	66"	1650mm	1165mm	16mm
⌀				
ø22*ø6*6mm	2PC/CTN	20KG	116*25*26CM	
ø22*ø6*6mm	1PC/CTN	14KG	146*25*26CM	
ø22*ø6*6mm	1PC/CTN	18KG	181*25*26CM	

Patented

Life Warranty

900-1550 mm

CUTTING ANGLE 0-60°

16 mm (max)

1000 KG

22x6x6 mm YG-6X

Ti COATED

Al

UNIVERSAL TILE CUTTER

8102G-3B



- Magnetic breaker provides direct view of scoring line.
- Fast operating system with magnet, for one-hand use.
- Handle with soft grip for better ergonomics and comfort.
- Wide base surface for higher stability and cutting quality.
- Heavy-duty metal extension feet for excellent tile placement.
- Reinforced supporters for heavy-duty work, and high durability.
- The adjustable aluminum gauge provides greater precision in angle cuts.

TQ1B-8102G-3B-600

TQ1B-8102G-3B-800

MODEL	SIZE			
8102G-3B-600	24"	600mm	425mm	14mm
8102G-3B-800	32"	800mm	565mm	14mm
⌀				
ø22*ø6*6mm	2PC/CTN	15KG	86*20*49CM	
ø22*ø6*6mm	2PC/CTN	18KG	106*20*49CM	

Patented

Life Warranty

600-800 mm

CUTTING ANGLE 0-60°

14 mm (max)

800 KG

22x6x6 mm YG-6X

Ti COATED



8108P-05

TILE CHAMFERING MACHINE

- Achieve clean, consistent edges with a precise 48° chamfer every time.
- Set exact edge width with 3-stage adjustable spacers (1.5 / 2.0 / 2.5 mm).
- The forged aluminum alloy body stays lightweight yet tough for daily site use.
- Dual-nozzle water cooling suppresses dust and extends blade life.
- Dual handles with a transparent guard deliver a stable grip and clear visibility.

MODEL	SIZE						
8108P-05	18"	Unlimited	20mm	Ø100/Ø115	4PCS/CTN	12KG	54*54*40cm



8107A-01

T-TYPE TRACK TILE CUTTER

- 120° flipping bar for effortless tile changes.
- Wear-resistant steel wheels ensure smooth operation.
- Laser scale enables precise measurement.
- Reinforced crossbar for durability and stability.
- Zero-clearance sliding bearings enhance cutting precision.
- Lightweight Aluminum Profile(Carry Bag Included)

MODEL	SIZE						
8107A-01-900	36"	900mm(width)	12mm	Ø22*Ø6*6	1PC	10KG	181*24.5*16cm




8107B-01

HAND CUTTER WITH 5-ROW ROLLERS

- 5 rows of 43 wear-resistant nylon rollers ensure smooth cutting.
- High-strength tungsten carbide cutting wheel delivers flat, burr-free edges.
- Thickened hexagonal aluminum rod (4 cm) offers strong load capacity and no
- bending.
- Right-angle positioning with anti-collision holder ensures precise cuts without deviation.
  Laser-engraved steel ruler with durable clear graduations (98 cm total) allows quick sizing.

MODEL	SIZE						
8107B-01	36"	900mm	12mm	Ø8	10PCS/CTN	24.5KG	56.5*32*47cm

	NAME	MODEL	INCH	mm	mm	mm	kgs	mm	ADJUSTABLE FROM 0°-60°	FIXED 0°/45°
	SPEEDY ROCKET TILE CUTTER	8102G-3Y-1050	42″	1050	742	18	1200	Ø22*Ø6*6	√	
		8102G-3Y-1300	52″	1300	920				√	
		8102G-3Y-1550	62″	1550	1095				√	
	PREM. RAPTOR TILE CUTTER	8102G-T3-1200	48″	1200	850	16	1000	Ø22*Ø6*6		√
		8102G-T3-1600	64″	1600	1130					√
		8102G-T3-1800	72″	1800	1270					√
	RAPTOR TILE CUTTER	8102G-2GH-800	32″	800	565	16	1000	Ø22*Ø6*6		√
		8102G-2GH-1000	40″	1000	705					√
		8102G-2GH-1200	48″	1200	850					√
	LINEAR PRO TILE CUTTER	8102X-01	48″	1200	850	18	1000	Ø22*Ø6*6	√	
	EXTEND MAX PRO TILE CUTTER	8100T-DJ-600	24″	600	425	18	1000	Ø22*Ø5*6 (cutting pen)		√
		8100T-DJ-800	32″	800	565					√
		8100T-DJ-900	36″	900	635					√
		8100T-DJ-1000	40″	1000	705					√
		8100T-DJ-1200	48″	1200	850					√
	EXTEND MAX TILE CUTTER	8100T-3A-DJ-600	24″	600	425	18	1000	Ø22*Ø5*6 (cutting pen)		√
		8100T-3A-DJ-800	32″	800	565					√
		8100T-3A-DJ-900	36″	900	635					√
		8100T-3A-DJ-1000	40″	1000	705					√
		8100T-3A-DJ-1200	48″	1200	850					√

	NAME	MODEL	INCH	mm	mm	mm	kgs	mm	ADJUSTABLE FROM 0°-60°	FIXED 0°/45°
	EXTEND MAX TILE CUTTER	8106T-3A-DJ-600	24″	600	425	18	1000	Ø22*Ø6*6	√	
		8106T-3A-DJ-800	32″	800	565				√	
		8106T-3A-DJ-900	36″	900	635				√	
		8106T-3A-DJ-1000	40″	1000	705				√	
		8106T-3A-DJ-1200	48″	1200	850				√	
	STEEL MAX TILE CUTTER	8100T-3S-DJ-600	24″	600	425	18	1000	Ø22*Ø5*6 (cutting pen)	√	
		8100T-3S-DJ-800	32″	800	565				√	
		8100T-3S-DJ-900	36″	900	635				√	
		8100T-3S-DJ-1000	40″	1000	705				√	
		8100T-3S-DJ-1200	48″	1200	850				√	
	STEEL MAX TILE CUTTER	8106T-2S-600	24″	600	425	18	1000	Ø22*Ø6*6	√	
		8106T-2S-800	32″	800	565				√	
		8106T-2S-900	36″	900	635				√	
		8106T-2S-1000	40″	1000	705				√	
		8106T-2S-1200	48″	1200	850				√	
	LIGHTNING TILE CUTTER	8102G-2A-DJ-900	36″	900	635	16	1000	Ø22*Ø6*6	√	
		8102G-2A-DJ-1200	48″	1200	850				√	
		8102G-2A-DJ-1650	66″	1650	1165				√	
	UNIVERSAL TILE CUTTER	8102G-3B-600	24″	600	425	14	800	Ø22*Ø6*6	√	
		8102G-3B-800	32″	800	565				√	

LARGE FORMAT SLAB SYSTEM

Large format slabs are expensive, and their large size increases the difficulty of handling them, as well as the risk of damage. To address these issues, TILER has developed and designed a complete range of products specifically tailored for large format slabs. The TILER Large Format Slab System is designed to ensure the safe and efficient handling of slabs throughout the installation process. This includes workbenches that can accommodate large format slabs, as well as manual and electric cutting machines specifically designed for cutting large format slabs, catering to the cutting needs of installers working with various thicknesses of tiles. In addition, there are equipments available for efficient and effortless transportation of large format slab tiles.




TILER


TILER
TILER


DB-2

PREM. LARGE FORMAT SLAB CUTTER



- It provides precise straight cutting with high efficiency and speed.
- Suitable for manually cutting large format slab with a thickness of 4 to 12mm.
- The cutting length is 3200mm and can be extended with additional guide rails.
- The accuracy of cutting is ensured by suction cups attached to the guide rail.
- The Ø22mm bearing cutting wheel is of high quality, can last for approximately 2000 meters of cutting under normal condition.
- The included tile separator ensures that the work is gradually separated, minimizing the risk of improper breakage.

MODEL			
DB-2	1SET	8KG	150*20*30CM




DE-125X

ELECTRIC & MANUAL CUTTER 2 IN 1 KIT




- Includes 125mm &115mm Diamond disc.
- The manual cutting system can cut up to 12mm.
- The electric cutting system can cut up to 23mm.
- Double dust reduction/control system. Dry and wet cutting.
- Comes with a TILER carry bag for easy storage and handling.
- Switch with safety lock. Prevents unintentional start-up. Electrical cable with PRCD.
- The cutting head is height-adjustable and hinged, allowing for angles ranging from 0° to 48°.
- Comprising 3 assembled extruded aluminum guides, this system enables flawless scoring in large format tiles up to 360cm, resulting in precise and smooth cuts.

MODEL			
DE-125X	1SET	15.6KG	136*11*12.8CM(Accessories) 35.5*30*25.8CM(Host Engine)




DB-TB-3/3600


LARGE FORMAT SLAB WORKBENCH 3600MM



- Rigidity high-quality aluminum profile.
- Multi-functional, can be used as a versatile workbench.
- The leveling feet contribute to the increased stability of the set.
- Comes with a durable TILER nylon bag for storage and transportation.
- Customization options are available for the table surface's anti-slip feature.
- Fast and easy assembly and disassembly with a convenient fixed connection system.
- The extra-reinforced aluminum bars give the Slab workbench a lightweight, high rigidity, and great stability.
- The separation of its 12 aluminum bars allows the user to make perforations and cuts without fear of damaging the table itself.

MODEL			
DB-TB-3/3600	1SET	47.7KG	183*22*27CM






DB-TB-3/1800


MODEL			
DB-TB-3/1800	1SET	38KG	183*26.5*20.5CM





DB-TB-4


LARGE FORMAT SLAB CENTIPEDE WORKBENCH (15LEGS)



- Reinforced aluminum profile structure.
- Compressive load capacity:1000KG.
- Quick folding and storage, ready to use without installation.
- Lightweight and easy to carry.
- Comes with a durable nylon carrying bag for convenient storage and portability.

MODEL			
DB-TB-4	1SET	13KG	94*38.5*24CM


Expanded size: 221*113*73 cm
87*45*29 inch




DB-TB-5

LARGE FORMAT SLAB CENTIPEDE WORKBENCH


NEW




6 LEGS



8 LEGS




9 LEGS



10 LEGS



12 LEGS



15 LEGS



Includes Carry Bag


SPEC.	MATERIAL	EXTENDED SIZE (CM)	FOLDED SIZE (CM)	NET WEIGHT (KG)	LOAD CAPACITY (KG)
6 Legs	Aluminium Alloy	62.5*119*85	18*12*100	3.5	600
8 Legs	Aluminium Alloy	175*62.5*85	24*18*100	4.9	800
9 Legs	Aluminium Alloy	119*119*85	18*18*100	5.6	900
10 Legs	Aluminium Alloy	119*231*85	12*30*100	6.2	1000
12 Legs	Aluminium Alloy	119*175*85	18*24*100	7.8	1200
15 Legs	Aluminium Alloy	119*230*85	18*30*100	9.9	1500

DB-TB-7

LARGE FORMAT SLAB CENTIPEDE WORKBENCH



6 LEGS



8 LEGS



9 LEGS



10 LEGS



12 LEGS



15 LEGS



Includes Carry Bag

SPEC.	MATERIAL	EXTENDED SIZE (CM)	FOLDED SIZE (CM)	NET WEIGHT (KG)	LOAD CAPACITY (KG)
6 Legs	Stainless Steel	62*117*85	12.5*19*89	2.7	600
8 Legs	Stainless Steel	62*172.5*85	12.5*25*89	3.7	800
9 Legs	Stainless Steel	117*117*85	19*19*89	4.3	900
10 Legs	Stainless Steel	62*228*85	12.5*31*89	4.7	1000
12 Legs	Stainless Steel	117*172.5*85	19*25*89	5.9	1200
15 Legs	Stainless Steel	117*228*85	19*31*89	7.5	1500

DB-CY-2

LARGE FORMAT SLAB HANDLING SYSTEM

HANDLING SYSTEM FOR LARGE FORMAT SLAB






GREAT FOR LONG NARROW SLABS

- Reinforced aluminum profile. Greater structural strength.
- The crossbars can be easily released for transporting long narrow slabs.
- The set includes 2 retractable and adjustable extruded aluminum guides (160-360cm).
- Equipped with 6 heavy-duty vacuum cups, the system stays firmly fixed.
- These suction cups are easily positionable and allow for adjustable fixing points, ensuring the safe handling of large format sheets.


MODEL			
DB-CY-2	1SET	29KG	193*25.5*22.5CM





DB-CY-3

PORTABLE LARGE FORMAT SLAB HANDLING SYSTEM



- Reinforced aluminum profile. Greater structural strength.
- Comes with 2 detachable and foldable support legs allow the system to stand upright.
- Consists of two retractable and adjustable extruded aluminum guides, ranging from 160 to 360 cm.
- The system is equipped with 6 heavy-duty vacuum suction cups that securely fix the system in place.
- These suction cups are easily positionable and allow for adjustable fixing points, ensuring the safe handling of large format sheets.


MODEL			
DB-CY-3	1SET	42.5KG	193*27.5*30CM

GREAT FOR LONG NARROW SLABS




DB-CY-4

LARGE FORMAT SLAB HANDLING SYSTEM WITH ELECTRIC SUCTION CUPS



- Reinforced aluminum profile for greater structural strength.
- Set includes 2 retractable, adjustable extruded aluminum guides, ranging from 160-360 cm.
- Equipped with 6 heavy-duty electric vacuum suction cups for secure, adjustable fixing and safe handling.
- Handle kit for more comfortable slab lifting.
- Crossbars easily released for transporting long narrow slabs.
- Maximum load capacity: 260 kg.

MODEL			
DB-CY-4	1SET	22.8KG	144*26*20CM




DB-TU-2

LARGE FORMAT SLAB TROLLEY




- Ultra light and compact.
- Especially suitable for thicker/heavier slabs.
- Equipped with four 360° swivel casters with integrated braking and locking system.
- Easy and quick to assemble and disassemble. Easy fix connection system.
- Designed with a collapsible base and a durable carrying bag for easy storage and portability.
- Ergonomic extendable support arm for easier loading/unloading on the workbench.


MODEL			
DB-TU-2	1SET	22.8KG	144*26*20CM



TROLLEY FOR LARGE FORMAT SLAB


	NAME	MODEL	WORKING RANGE	SLAB INFORMATION REFERENCE
	SLAB CUTTER	DB-2	3200MM+	
	SLAB CUTTER	DE-125X	3600MM+	
	WORKBENCH	DB-TB-3/1800	1800MM+	
	WORKBENCH	DB-TB-3/3600	2400MM+	
	WORKBENCH	DB-TB-4	2400MM+	

3000X1000X3MM
3000X1000X7MM
1600X3200X5.8MM
1600X3200X8MM
1600X3200X12MM
1600X2600X5.8MM
1200X2400X5.8MM
1200X2400X9MM
1200X1600X12MM
1200X2400X12MM
1200X2700X5.8MM
1500X3000X3MM
1500X3000X6MM



	NAME	MODEL	WORKING RANGE	SLAB INFORMATION REFERENCE
	WORKBENCH	DB-TB-5	1200MM-2400MM	
	WORKBENCH	DB-TB-7	1200MM-2400MM	
	HANDLING SYSTEM	DB-CY-2	3200MM+	
	HANDLING SYSTEM	DB-CY-3	3600MM+	
	HANDLING SYSTEM	DB-CY-4	3600MM+	
	TROLLEY	DB-TU-2	3600MM+	

3000X1000X3MM
3000X1000X7MM
1600X3200X5.8MM
1600X3200X8MM
1600X3200X12MM
1600X2600X5.8MM
1200X2400X5.8MM
1200X2400X9MM
1200X1600X12MM
1200X2400X12MM
1200X2700X5.8MM
1500X3000X3MM
1500X3000X6MM



FLOOR CUTTING MACHINE

TILER Floor Cutter is a versatile tool designed for effortless cutting of various flooring materials. With its sturdy construction and alloy steel blade, it ensures smooth operation and precise cuts. Upgrade your cutting capabilities with TILER Floor Cutter, the ideal choice for professionals and DIY enthusiasts.



8801-16
FLOOR CUTTER

- Max. cutting thickness: 12mm.
- Max. cutting width: 300mm.
- Cutting type: straight cutting / 0-90° angle cutting.
- Cutting flexible or resilient flooring materials: wood flooring, laminate flooring, vinyl flooring, LVP, SPC, WPC, VCT etc.

MODEL			
8801-16	1PC	11KG	53*24*29CM





8801-12
FLOOR CUTTER

- Max. cutting thickness: 16mm.
- Max. cutting width: 300mm.
- Cutting type: straight cutting / 0-90° angle cutting.
- Cutting flexible or resilient flooring materials: wood flooring, laminate flooring, vinyl flooring, LVP, SPC, WPC, VCT etc.

MODEL			
8801-12	1PC	12.6KG	55*26*29CM





8803-16

0-34CM | 0-12MM | 75CM × 42CM × 22CM

FLOOR CUTTER

- Max. cutting thickness: 12mm.
- Max. cutting width: 340mm.
- Cutting type: straight cutting / 0-90° angle cutting.
- Cutting flexible or resilient flooring materials: wood flooring, laminate flooring, vinyl flooring, LVP, SPC, WPC, VCT etc.

MODEL			
8803-16	/	/	/





8509

0-25CM | 0-12MM | 74CM × 21CM × 19CM

FLOOR CUTTER

- Max. cutting thickness: 12mm.
- Max. cutting width: 250mm.
- Cutting type: straight cutting / 0-90° angle cutting.
- Cutting flexible or resilient flooring materials: wood flooring, laminate flooring, vinyl flooring, LVP, SPC, WPC, VCT etc.

MODEL			
8509	/	/	/



8502

0-21CM | 0-10MM | 74CM × 21CM × 19CM

FLOOR CUTTER

- Max. cutting thickness: 10mm.
- Max. cutting width: 210mm.
- Cutting type: straight cutting / 0-90° angle cutting.
- Cutting flexible or resilient flooring materials: wood flooring, laminate flooring, vinyl flooring, LVP, SPC, WPC, VCT etc.

MODEL			
8502	2PCS	15KG	82*14*22CM

TILE CARRYING & LAYING TOOLS

TILER Tile Carrying & Laying Tools are meticulously designed to optimize workflow, increase productivity, and elevate the overall tiling experience. Our commitment to quality and innovation empowers professionals to achieve exceptional results, while reducing the time and effort required for tile installation.

P02-01

TILER VIBRATION MACHINE 20V



- Vibrator Cup Diameter : 190MM
- Battery Capacity : 2000mAh
- Battery Voltage : 20V
- Charging Current : 2.0A
- Battery Charging Time : 2h
- Vibration Frequency : 0-12000r/min
- Vertical Suction : 50KG

- Dual 20V batteries deliver all-day power — no downtime.
- 190cm suction cup with 50kg grip locks tight, even on vertical surfaces.
- 12 adjustable speeds match any tile size and mortar consistency.
- Aluminum alloy head dissipates heat fast; rubberized handle reduces hand fatigue.
- Custom blow-molded case keeps everything organized and travel-ready.



MODEL		
P02-01	1PC	4PCS



P02-02

TILER VIBRATION MACHINE

- Vibrator Cup Diameter: 140MM
- Battery Capacity: 2000mAh
- Battery Voltage: 16V
- Charging Current: 1.5 A
- Battery Charging Time: 2h
- Vibration Frequency: 0-12000r/min
- Vertical Suction: 50KGS

MODEL		
P02-02	1PC	4PCS



P01-01

TILER VIBRATION MACHINE

- Vibrator Cup Diameter: 130MM
- Battery Capacity: 2000mAh
- Battery Voltage: 12V
- Charging Current: 1.5 A
- Battery Charging Time: 2h
- Vibration Frequency: 3000-8500r/min
- Vertical Suction: 50KGS

MODEL		
P01-01	1PC	4PCS


20VMAX
LITHIUM





K02-01
ELECTRIC SUCTION CUP
(EXTERNAL BATTERY)

- Battery capacity: 4000mAh
- Voltage: 3.7V
- Diameter: 210mm
- Load capacity: 220kgs

- One-touch suction, automatic air replenishment.
- External batteries, extended runtime without worry.
- Big LED display, real-time pressure readout.
- Premium nitrile rubber, integrated handle design.
- Secure adhesion, long-lasting reliability.
- Smooth tiles, rough tiles.

MODEL		
K02-01	1PC	10PCS



K02-02
ELECTRIC SUCTION CUP
(EXTERNAL BATTERY)

- Battery capacity: 4000mAh
- Voltage: 3.7V
- Diameter: 245x165mm
- Load capacity: 260kgs

- One-touch suction, automatic air replenishment.
- External batteries, extended runtime without worry.
- Big LED display, real-time pressure readout.
- Premium nitrile rubber, integrated handle design.
- Secure adhesion, long-lasting reliability.
- Smooth tiles, rough tiles.

MODEL		
K02-02	1PC	10PCS



NEW

K01-01
ELECTRIC SUCTION CUP
(BUILT-IN BATTERY)

- Battery capacity: 2000mAh
- Voltage: 3.7V
- Diameter: 210mm
- Load capacity: 220kgs

- One-touch suction, automatic air replenishment.
- Big LED display, real-time pressure readout.
- Premium nitrile rubber, integrated handle design.
- Secure adhesion, long-lasting reliability.
- Smooth tiles, rough tiles.

MODEL		
K01-01	1PC	10PCS



NEW

K01-02
ELECTRIC SUCTION CUP
(BUILT-IN BATTERY)

- Battery capacity: 2000mAh.
- Voltage: 3.7V
- Diameter: 245x165mm
- Load capacity: 260kgs

- One-touch suction, automatic air replenishment.
- Big LED display, real-time pressure readout.
- Premium nitrile rubber, integrated handle design.
- Secure adhesion, long-lasting reliability.
- Smooth tiles, rough tiles.

MODEL		
K01-02	1PC	10PCS





KM04
Vacuum Suction Cup 8"

- Durable nitrile rubber.
- Diameter : 210mm/8".
- Load capacity : 200kg.
- Suitable for smooth and rough tiles.
- Detachable and replaceable pump.
- Equipped with pressure gauge for safe indication.

MODEL		
KM04	1PC	6PCS





KM01-W
Pro. Vacuum Suction Cup 8"

- Durable nitrile rubber.
- Diameter : 210mm/8 .
- Load capacity : 200kg.
- Equipped with pressure gauge for safe indication.
- Suitable for smooth and rough tiles.
- Detachable and replaceable pump.

MODEL		
KM01-W	1PC	6PCS



8128-1 (SINGLE DRUMS)
8128-2 (DOUBLE DRUMS)
8128-3 (TRIPLE DRUMS)
Aluminium Suction Cup

MODEL		
8128-1	1PC	10PCS
8128-2	1PC	10PCS
8128-3	1PC	10PCS



8128-4 (SINGLE DRUMS)
8128-5 (DOUBLE DRUMS)
8128-6 (TRIPLE DRUMS)
Plastic Suction Cup

MODEL		
8128-4	1PC	60PCS
8128-5	1PC	24PCS
8128-6	1PC	12PCS



8128-7
Adjustable Suction Cup

MODEL		
8128-7	1PC	12PCS

LASER LEVEL

6

Designed for precision in tiling and construction projects, this tool features a bright laser beam for accurate measurements and effortless alignment. With TILER' s commitment to quality and durability, you can achieve flawless results in every project. Elevate your work with TILER's new laser level!



TCJ-02

5 Lines Laser Level

MODEL		
TCJ-02	1PC	8PCS

- Wavelength: 515-520nm.
- Accuracy: ±2mm/10m.
- Source: 5400mAhx2.
- Laser Safety Level: CLASS II .
- Working Temperature: -10°to 50°.
- Function: 2xHorizontal, 2xVertical, 1xCross Lines.
- Anping Time: ⩽2s.
- Working Hours: 18h.
- Protection Class: waterproof, dust-proof and shockproof.



TCJ-03

12 Lines Laser Level

MODEL		
TCJ-03	1PC	8PCS

- Wavelength: 515-530nm.
- Accuracy: ±2mm/10m.
- Source: 4500mAhx2.
- Laser Safety Level: CLASS II .
- Working Temperature: -10°to 50°.
- Function: 4xHorizontal, 4xVertical, 4xCross Lines.
- Anping Time: ⩽2s.
- Working Hours: 18h.
- Ground contact distance: ⩽7mm.
- Protection Class: waterproof, dust-proof and shockproof.



TCJ-04

Mini 12 Lines Laser Level

MODEL		
TCJ-04	1PC	8PCS

- Wavelength: 515-530nm.
- Accuracy: ±1mm/5m.
- Source: 3200mAhx2.
- Laser Safety Level: CLASS II .
- Working Temperature: -10°to 50°.
- Function: 4xHorizontal, 4xVertical, 4xCross Lines.
- Anping Time: ⩽2s.
- Working Hours: 18h.
- Ground contact distance: ⩽7mm.
- Protection Class: waterproof, dust-proof and shockproof.



TCJ-05B


16 Lines Laser Level

MODEL		
TCJ-05B	1PC	8PCS

- Wavelength: 515nm.
- Accuracy: ±3mm/7m.
- Source: 4500mAhx2.
- Laser Safety Level: CLASS **II**.
- Working Temperature: -20° to 40°.
- Function: 4D 16-line, 360° no blind spots.
- Anping Time: ⩽2s.
- Working Hours: 6h.
- Protection Class: waterproof, dust-proof and shockproof.

TILE LEVELING TOOLS

TILER Tile Leveling Tools offer a suite of innovative solutions for flawless tile installations, featuring perfect leveling and precise grout spacing. These essential tools guarantee professional outcomes, eliminate lippage, and achieve a seamless finish in all tiling projects.




8119-3
X -type Tile Spacers



X -type Tile Spacers 1.0mm	200 PCS	100 BAGS	38*20*18CM
X -type Tile Spacers 1.5mm	200 PCS	100 BAGS	38*20*18CM
X -type Tile Spacers 2.0mm	200 PCS	100 BAGS	38*20*20CM
X -type Tile Spacers 2.5mm	200 PCS	100 BAGS	38*20*20CM
X -type Tile Spacers 3.0mm	200 PCS	100 BAGS	38*20*22CM
X -type Tile Spacers 4.0mm	100 PCS	100 BAGS	48*22*22CM
X -type Tile Spacers 5.0mm	100 PCS	100 BAGS	48*22*24CM

8119-2
T-type Tile Spacers





T-type Tile Spacers 5mm	100 PCS	100 BAGS	45*40*35CM




8119-7
Recyclable Tile Spacers




Recyclable Tile Spacers 1.0mm	100 PCS	100 BAGS	50*30*44CM
Recyclable Tile Spacers 1.5mm	100 PCS	100 BAGS	50*30*44CM
Recyclable Tile Spacers 2.0mm	100 PCS	100 BAGS	50*30*44CM
Recyclable Tile Spacers 2.5mm	100 PCS	100 BAGS	50*30*46CM
Recyclable Tile Spacers 3.0mm	100 PCS	100 BAGS	50*30*46CM
Recyclable Tile Spacers 4.0mm	100 PCS	100 BAGS	50*30*48CM
Recyclable Tile Spacers 5.0mm	100 PCS	100 BAGS	50*30*48CM

8119-1U
U-Shape Tile Spacers





U-Shape Tile Spacers 1.5mm	100 PCS	100 BAGS	57*40*26CM
U-Shape Tile Spacers 3.0mm	100 PCS	100 BAGS	57*40*30CM



8119-6
Hollow Tile Spacers



Hollow Tile Spacers 1mm	200 PCS	100 BAGS	38*20*18CM
Hollow Tile Spacers 2mm	200 PCS	100 BAGS	38*20*18CM
Hollow Tile Spacers 3mm	200 PCS	100 BAGS	38*20*20CM
Hollow Tile Spacers 5mm	100 PCS	100 BAGS	45*40*35CM
Hollow Tile Spacers 7mm	100 PCS	100 BAGS	45*40*40CM
Hollow Tile Spacers 10mm	100 PCS	100 BAGS	45*40*50CM




8119-4
Recyclable Tile Spacers



Recyclable Tile Spacers 1.0mm	100 PCS	100 BAGS	50*30*44CM
Recyclable Tile Spacers 1.5mm	100 PCS	100 BAGS	50*30*44CM
Recyclable Tile Spacers 2.0mm	100 PCS	100 BAGS	50*30*44CM
Recyclable Tile Spacers 2.5mm	100 PCS	100 BAGS	50*30*46CM
Recyclable Tile Spacers 3.0mm	100 PCS	100 BAGS	50*30*46CM
Recyclable Tile Spacers 4.0mm	100 PCS	100 BAGS	50*30*48CM
Recyclable Tile Spacers 5.0mm	100 PCS	100 BAGS	50*30*48CM

8119-1
Wedge-type Tile Spacers





Wedge-type Tile Spacers 1-5mm	200 PCS	100 BAGS	45*40*35CM

8119-F5
Recyclable Tile Spacers





Recyclable Tile Spacers 1.0mm;1.5mm;2mm;2.5mm;3mm	100 PCS	100 BAGS	57*40*26CM

SQUARE FORMATS

	cm	10 x 10	15 x 15	20 x 20	30 x 30	33 x 33	40 x 40	45 x 45	50 x 50	60 x 60	75 x 75	80 x 80	90 x 90
	x m²	100	49	25	16	13	9	9	4	4	2	2	2
	x m²	200	91	50	25	21	15	13	8	6	4	4	4

RECTANGULAR FORMATS

	cm	15 x 60	15 x 90	15 x 120	20 x 40	20 x 60	20 x 80	20 x 100	25 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x 120	45 x 90
	x m²	16	10	8	18	12	9	7	6	8	5	4	4	3	3
	x m²	26	17	13	29	19	14	12	9	16	9	6	7	5	6

LARGE SPECIAL FORMATS

	cm	100 x 150	100 x 300	120 x 120	120 x 360	150 x 150	150 x 300
	x m²	2	2	2	2	2	2
	x m²	4	4	4	4	4	4





Tile Leveling System

8119-1P
Tile Leveling Wedges







- High Quality PP Material.

Tile Leveling Wedges	100 PCS	20 BAGS	54*38*26CM

8119-2P
Tile Leveling Clips



- High Quality PP Material.

Tile Leveling Clips 1.0mm	100 PCS	40 BAGS	52*40*40CM
Tile Leveling Clips 1.5mm	100 PCS	40 BAGS	52*40*40CM
Tile Leveling Clips 2.0mm	100 PCS	40 BAGS	52*40*40CM
Tile Leveling Clips 2.5mm	100 PCS	40 BAGS	52*40*40CM
Tile Leveling Clips 3.0mm	100 PCS	40 BAGS	52*40*40CM

8119-8 PLIER
Tile Leveling Plier



- Sturdy, steel contruction with adjustable tension.
- Improve speed of tile laying.

Tile Leveling Plier	1 PC	50 PCS	42*42*50CM

SQUARE FORMATS										
cm	30 x 30	40 x 40	45x45	50x50	60x60	75x75	80x80	90x90	100x100	120x120
x m²	40	23	18	14	10	10	8	7	5	4

RECTANGULAR FORMATS														
cm	15 x 60	15 x 89	15 x 120	23 x 40	23 x 60	23 x 75	23 x 100	30 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x 120	45 x 90
x m²	30	27	20	30	20	21	16	15	20	17	13	14	9	11

EXTRA-LARGE FORMATS						
cm	100 x 150	100x300	120x120	120x360	150x150	150x300
x m²	4	3	4	2	3	2



Tile Leveling System

8119-8R
Recyclable Tile Leveling System

- Wear-resistant and reusable.
- Suitable for 3mm to 18mm thickness of the tile.
- Made of high-quality PP plastic.







Recyclable Tile Leveling System	50 PCS	20 BAGS	52*46*33CM

8119-8R(SET)
Recyclable Tile Leveling System Set

- Wear-resistant and reusable.
- Suitable for 3mm to 18mm thickness of the tile.
- Made of high-quality PP plastic.



Recyclable Tile Leveling System Set	200 PCS	12 BOXES	42*40*30CM



SQUARE FORMATS										
cm	30 x 30	40 x 40	45x45	50x50	60x60	75x75	80x80	90x90	100x100	120x120
x m²	40	23	18	14	10	10	8	7	5	4

RECTANGULAR FORMATS														
cm	15 x 60	15 x 89	15 x 120	23 x 40	23 x 60	23 x 75	23 x 100	30 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x 120	45 x 90
x m²	30	27	20	30	20	21	16	15	20	17	13	14	9	11

EXTRA-LARGE FORMATS						
cm	100 x 150	100x300	120x120	120x360	150x150	150x300
x m²	4	3	4	2	3	2

Tile Leveling System

8119-T3
Tile Leveling Screws

- The base of the screw ensures continuous tension between the screws and the caps.







Tile Leveling Screws 1.5mm	100 PCS	40 BAGS	54*38*33.5CM

8119-T4
Tile Leveling Caps

- Prevents uneven tiles when laying floors, especially large format tiles.



Tile Leveling Caps	50 PCS	30 BAGS	53*40*35CM



SQUARE FORMATS											
cm	30 x 30	40 x 40	45x45	50x50	60x60	75x75	80x80	90x90	100x100	120x120	
x m²	40	23	18	14	10	10	8	7	5	4	

RECTANGULAR FORMATS														
cm	15 x 60	15 x 89	15 x 120	23 x 40	23 x 60	23 x 75	23 x 100	30 x 100	30 x 60	30 x 90	30 x 120	40 x 80	40 x	45 x 90
x m²	30	27	20	30	20	21	16	15	20	17	13	14		11

EXTRA-LARGE FORMATS						
cm	100 x 150	100x300	120x120	120x360	150x150	150x300
x m²	4	3	4	2	3	2

GROUTING & CLEANING TOOLS

TILER Grouting & Cleaning Tools are designed to facilitate the grouting, caulking, and cleaning processes after tile installation. These tools are essential for achieving professional results, ensuring aesthetic appeal, and maintaining the cleanliness of your tiles.



8203F-4-U/6MM
Notched Trowel
- Material:Stainless steel
- Size:280x120x0.7mm
- Notch:Square,6x6mm



8203F-4-U/8MM
Notched Trowel
- Material:Stainless steel
- Size:280x120x0.7mm
- Notch:Square,8x8mm



8203F-4-U/10MM
Notched Trowel
- Material:Stainless steel
- Size:280x120x0.7mm
- Notch:Square,10x10mm



8203E-7
Notched Trowel
- Material:Carbon steel
- Size:280x130x0.7mm
- Notch:Flat



8203E-7-U
Notched Trowel
- Material:Stainless steel
- Size:280x130x0.7mm
- Notch:Square,10x10mm



8203E-7-V
Notched Trowel
- Material:Stainless steel
- Size:280x130x0.7mm
- Notch:Sharp,12x24mm



8203E-3/48CM
Notched Trowel
- Material:Stainless steel
- Size:480x120x1mm
- Notch:Square,12x12mm



8203E-3/60CM
Notched Trowel
- Material:Stainless steel
- Size:600x120x1mm
- Notch:Square,12x12mm

NAME	ART.	Tooth			
Stainless Steel Square Tooth Notched Trowel 6mm	TDM-8203E-4-U6		a=6mm	6	36
Stainless Steel Square Tooth Notched Trowel 8mm	TDM-8203E-4-U8		a=9mm	6	36
Stainless Steel Square Tooth Notched Trowel 10mm	TDM-8203E-4-U10		a=7.3mm,b=20mm,c=12mm	6	36
Carbon steel Toothless Trowel	TDM-8203E-7			6	36
Carbon steel Square Tooth Notched Trowel 10mm	TDM-8203E-7-U		a=10mm	6	36
Carbon steel Sharp Tooth Notched Trowel	TDM-8203E-7-V		a=15mm,b=24mm	6	36
Extended Trowel 480mm	TDM-A41105		a=12mm	10	20
Extended Trowel 600mm	TDM-A41106		a=12mm	10	20





8203I-4B
Rubber Grout Float

- Size:250x95mm.
- Material:ABS+TPR.

MODEL		
8203I-4B	1PC	6PCS



8139-T
3-in-1 Silicone Caulking Tool

- 3 in 1 silicone caulking tool.
- Perfectly handles various corner issues.

MODEL		
8139-T	/	100PCS



8131
Tile Grout Saw

- Carbide blade high abrasion resistance.
- Use for removing grout.

MODEL		
8131	12PCS	60PCS



8203I-3-U
Grout Float

- Design for smoothly spreading grout.
- Double color soft handle.

MODEL		
8203I-3-U	/	24PCS



8137-JT
Sealant Remover Kit

- 9 different finishing profiles.
- Even in hard-to-reach places.

MODEL		
8137-JT	/	100PCS



8203P-7A
Heavy Duty Scraper

- Handle size: 30cm.
- High-strength alloy blade.
  Easily removes, one step to completion.

MODEL		
8203P-7A	/	100PCS



8203N
Grout Spreader 180mm
Grout Spreader 300mm

- Design for easy and efficient grout application.
- Rubber thickness : 5mm.

MODEL		
8203N	10PCS	100/80PCS



8132
Tile Grout Saw

- TPR handle.
- Optional 1 or 2 blades.
- Diamond blades support high abrasion resistance.
- Use for removing grout.

MODEL		
8132	12PCS	60PCS



8127-4
Cellulose Sponge

- Size : 165x110x50mm.
- 100% Cellulose.
- Ideal for all types of cleaning and decorating.

MODEL		
8127-4	/	50PCS



8127
Grout Sponge

- Size:195x130x47mm.
- Ideal for removing excess grout.
- Clean the tile surface.

MODEL		
8127	/	50PCS



8127-3
Epoxy Grout Polishing Kit

- Kit comes with 3 different textured pads.
- Fine White Pad,Medium Red Pad,Coarse Black Pad.

MODEL		
8127-3	/	24PCS



8151-24L
Cleaning Bucket Kit

- 24L bucket with wheels x1.
- Drying Rollers x1.
- Grate x1.
- Washing pad x2.

MODEL		
8151-24L	/	2PCS

OTHER TILING TOOLS

TILER is committed to providing installers with a comprehensive tiling solution. Our range of tools covers all the necessary equipment for every step of the tiling process, from preparation, installation, and trimming to cleaning.



8213H-D
Drill Bit

- 6/8/10/12/25/35/38/45/50/55/65/88/110mm
- Available in all sizes

MODEL		
8213H-D	/	/



8123H
Drill Bit

- 6/8/10/12/25/35/38/45/50/55/65/88/110mm
- Available in all sizes

MODEL		
8123H	/	/



8123G
Drill Bit

- 6/8/10/12/25/35/38/45/50/55/65/88/110mm
- Available in all sizes

MODEL		
8123G	/	/



8123-S1
Drill Bit

- Drill Bit: 6/8/10/25/35/50/65mm
- Finger Bit: 10mm
- Chamfer Bit: 50mm
- Thread: M14

MODEL		
8123-S1	/	/



8112A
Adjustable Circle Tile Borer

- With tungsten carbide tips.
- Cutting capacity:23-94mm.
- Chrome or zinc plated finish.

MODEL		
8112A	5PCS	100PCS



8112D
Tile Drill Bits

- Tungsten carbide tipped.
- For drilling holes in ceramic tiles.
- Size: 4/5/6/8/10/12mm

MODEL		
8112D	/	250PCS



8129B-1
Knee Pads

- Hard shell exterior.
- Padded interior.
- Strong Double Straps .
- Idea for work protection.

MODEL		
8129B-1	/	24PAIRS



8129B
Heavy Duty Knee Pads

- Thick Gel Cushion.
- Padded interior.
- Strong wide Straps.
- Idea for work protection.

MODEL		
8129B	/	20PAIRS



8129C-5B
Knee Pads

- Replaceable Rubber Adjustment Straps.
- Folding Accordion Top Design.
- EVA Foam.
- Non-slip Texture Design.
- Flexible PVC Outer Shell.

MODEL		
8129C-5B	1PC	20PCS



8129E-2
Knee Pads

- Replaceable Rubber Adjustment Straps.
- Folding Accordion Top Design.
- EVA Foam.
- Non-slip Texture Design.
- Flexible PVC Outer Shell.

MODEL		
8129E-2	1PC	10PCS



8119-9N
Tile Height Adjuster

- Suitable for Tile Lifting.
- Advantages : Fine-Tunable.

MODEL		
8119-9N	/	100PCS



8119-9L
Tile Height Adjuster

- Material : Steel.
- Adjustment Range : 1-10cm.
- Load-Bearing : 100KG.
- Freely Adjustable, Easy to Operate.

MODEL		
8119-9L	/	60PCS



8403
Hand Rasp

- Strongly-molded ABS plastic body.
- Replaceable blade 140x40mm.
- Thumb screw for easy replacement.
- Perfect for smoothing uneven surfaces .

MODEL		
8403	10PCS	60PCS



8407
Hand Rasp

- Zinc-alloy body.
- Replaceable blade 140x40mm.
- Perfect for smoothing uneven surfaces.

MODEL		
8407	10PCS	60PCS



8404
Hand Rasp

- Strongly-molded ABS plastic handle.
- Replacement blade 250x40mm.
- Thumb screw for easy replacement.
- Perfect for smoothing uneven surfaces.

MODEL		
8404	10PCS	60PCS



8405
Hand Rasp

- Zinc-alloy body.
- Strongly-molded ABS plastic handle.
- Replacement blade 250x40mm.
- Perfect for smoothing uneven surfaces.

MODEL		
8405	10PCS	60PCS



8119-6B
Spirit Level 60cm
Spirit Level 80cm
Spirit Level 100cm

- Heavy duty aluminum alloy frames.
- Horizontal, vertical and 45° bubble level.
- Strong magnetic.

MODEL		
8119-6B	/	30PCS



8121
5m Tape Measure

- ABS Shockproof Case, Orange Coated Rubber.
- Automatic locking, press to retract.

MODEL		
8121	12PCS	60PCS



8122
Contour Gauge 6"
Coutour Gauge 10"

- Made of premium ABS plastic, very durable and sturdy.
- Perfect for use in wood cataloging moulding.

MODEL		
8122	/	50PCS



8124G
Rubber Mallet

- Rubber head.
- TPR handle.
- No damage to the tiles.

MODEL		
8124G	/	12PC



8118-2B
Diamond Hand Pad

- Diamond + high hardness high elasticity sponge.
- Works great for granite, engineered stone, glass, concrete, marble etc.

MODEL		
8118-2B	/	50PCS



8124A
Rubber Mallet (Wooden Handle)

- Rubber head.
- Wooden handle.
- No damage to the tiles.

MODEL		
8124A-8OZ	/	72PCS
8124A-12OZ	/	60PCS
8124A-16OZ	/	48PCS
8124A-24OZ	/	36PCS
8124A-32OZ	/	30PCS



8512-02
Tile Repairing Tool Set

- Ideal for repairing dents, gouges & scratches.
- Set contains 11 coloured wax blocks and tools.

MODEL		
8512-02	/	50PCS



8117-22X6X6T
Titanize Cutting Wheel

- Size : Ø22xØ6x6mm.
- High-quality replaceable accessory for TILER manual tile cutters.
- Maximum cutting length of 2000m.
- Crafted from premium tungsten carbide material and features a special titanize coating.

MODEL		
8117-22X6X6T	20PCS	240PCS



8117-22X6X6T-DB
Titanize Cutting Wheel

- Size : Ø22xØ6x6mm.
- High-quality replaceable accessory for TILER manual tile cutters.
- Maximum cutting length of 2000m.
- Crafted from premium tungsten carbide material and features a special titanize coating.

MODEL		
8117-22X6X6T-DB	20PCS	240PCS



DE-125-Ø125
Diamond Disc 125

- Professional level.
- Size : Ø125xØ22.23x1mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.

MODEL		
DE-125-Ø125	20PCS	200PCS



DE-125-Ø115
Diamond Disc 115

- Professional level.
- Size : Ø115xØ22.23x1mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.

MODEL		
DE-125-Ø115	20PCS	200PCS



DE-D105B
Diamond Disc 105

- Industrial level.
- Size : Ø105xØ20x1.1mm.
- For both wet and dry cutting.
- Made with premium diamond particles.
- Compatible with most electric tile cutters.
- For stone, marble, granite, porcelain and ceramics.

MODEL		
DE-D105B	20PCS	200PCS



8108-2
Stone Cutting Machine

- Self-locking switch for safety and replace-able carbon brushes.
- 1500W full copper motor for efficiency and durability.

MODEL		
8108-2	1PC	6SET



8008
TILER shelf

- Made of Iron.
- Professional shelves with exquisite appearance, sturdy and durable.
- High space utilization.
- Designed specifically for TILER tools to improve sales efficiency.
- Become an agent of the TILER brand and have the opportunity to get shelves for free.
- Customizable size according to site requirements.

MODEL		
8008	/	1 SET in 2 CTN.



DISTRIBUTION

We Warmly Welcome Global Business Partners to Join TILER Distributors Family and Lead the Tiling Tools Industry Together!

Technical **T**rusted **T**enacious **T**hrive **T**alented

Trusted Technical Tenacious Thrive Talented

Instagram Facebook YouTube

www.tilertool.com info@tilertool.com +86-571-88637866

Hangzhou John Hardware Tools CO.,Ltd

Building 1, No.283 Renkang Road, Renhe Street,
Yuhang District, Hangzhou, Zhejiang, China 311107